

Certificate of Compliance

This is to certify that

EDGE ANALYTICAL, Inc.,

An Accredited Drinking Water Laboratory,

Certification number 046, has completed the analysis of

CHAMELEON BEVERAGE COMPANY INC

“Spring Water”

on April 14, 2009, according to the FDA testing requirements for bottled drinking water. All parameters were found to be in compliance with FDA's and IBWA's published Standard of Quality limits for bottled drinking water.

EDGE
ANALYTICAL
LABORATORIES

Report signed this 14th day of April, 2009.



Lawrence J. Henderson
Laboratory Director



Burlington WA | 1620 S Walnut St - 98233
 Corporate Office | 800.755.9295 • 360.757.1400 • 360.757.1402fax
 Bellingham WA | 805 Orchard Dr Suite 4 - 98225
 Microbiology | 360.671.0688 • 360.671.1577fax



FDA STANDARD OF QUALITY REPORT

Client Name: Chameleon Beverage Company, Inc.
 6444 E 26th Street
 Commerce, CA 90040

Reference Number: **09-03110**

Project: FDA Annual Products
 Field ID: FDA Annual Product
 Sample Description: Spring Water
 Sampled By: Hilda Menendez
 Sample Date: 03/05/2009

Lab Number: **6469**
 Report Date: 04/14/2009
 Reviewed By: *YJA*

Inorganic Chemicals (IOCs)

CAS ID#	COMPOUNDS	RESULT	SOQ	MRL	Units	Method	COMMENT
7440-36-0	ANTIMONY	ND	0.006	0.001	mg/L	200.8	
7440-38-2	ARSENIC	ND	0.010	0.002	mg/L	200.8	
7440-39-3	BARIUM	0.012	2.0	0.010	mg/L	200.8	
7440-41-7	BERYLLIUM	ND	0.004	0.001	mg/L	200.8	
7440-43-9	CADMIUM	ND	0.005	0.001	mg/L	200.8	
7440-47-3	CHROMIUM	ND	0.10	0.005	mg/L	200.8	
57-12-5	CYANIDE	ND	0.2	0.040	mg/L	SM4500-CN F	
16984-48-8	FLUORIDE	ND	2	0.10	mg/L	300.0	
7439-92-1	LEAD	ND	0.005	0.001	mg/L	200.8	
7439-97-6	MERCURY	ND	0.002	0.0002	mg/L	245.1	
7440-02-0	NICKEL	ND	0.1	0.001	mg/L	200.8	
14797-55-8	NITRATE-N	0.1	10	0.10	mg/L	300.0	
14797-65-0	NITRITE-N	ND	1.0	0.10	mg/L	300.0	
E-10128	TOTAL NITRATE/NITRITE	0.1	10	0.10	ug/L	300.0	
7782-49-2	SELENIUM	ND	0.050	0.005	mg/L	200.8	
7440-28-0	THALLIUM	ND	0.002	0.001	mg/L	200.8	

Notation:

A Result of "ND" indicates that the compound was not detected above the Lab's Reporting Limit - MRL.
 SOQ - Standard of Quality, maximum permissible level of a contaminant in water established by EPA, NPDWR or IBWA.
 MRL - Method Reporting Limit.
 An * in front of the parameter name indicates it is not NELAP accredited but it is accredited through WSDOH or USEPA Region 10.

These test results meet all the requirements of NELAC, unless otherwise stated in writing, and relate only to these samples. If you have any questions concerning this report contact Lawrence Henderson at the above phone number.

FDA STANDARD OF QUALITY REPORT

Secondary Inorganic Parameters

CAS ID#	COMPOUNDS	RESULT	SOQ	MRL	Units	Method	COMMENT
7429-90-5	ALUMINUM	0.020	0.2	0.010	mg/L	200.7	
16887-00-6	CHLORIDE	4.8	250	1	mg/L	300.0	
7440-50-8	COPPER	ND	1.0	0.005	mg/L	200.8	
7439-89-6	IRON	ND	0.3	0.050	mg/L	200.7	
7439-96-5	MANGANESE	ND	0.05	0.001	mg/L	200.8	
7440-22-4	SILVER	ND	0.10	0.010	mg/L	200.8	
14808-79-8	SULFATE	6.8	250	10	mg/L	300.0	
E-10173	TOTAL DISSOLVED SOLIDS (TDS)	83	500	10	mg/L	SM2540 C	
7440-66-6	ZINC	ND	5.00	0.050	mg/L	200.8	

Notation:

A Result of "ND" indicates that the compound was not detected above the Lab's Reporting Limit - MRL.

SOQ - Standard of Quality, maximum permissible level of a contaminant in water established by EPA, NPDWR or IBWA.

MRL - Method Reporting Limit.

An * in front of the parameter name indicates it is not NELAP accredited but it is accredited through WSDOH or USEPA Region 10.

These test results meet all the requirements of NELAC, unless otherwise stated in writing, and relate only to these samples.

FDA STANDARD OF QUALITY REPORT

Volatile Organic Chemicals (VOCs)

CAS ID#	COMPOUNDS	RESULT	SOQ	MRL	Units	Method	COMMENT
71-55-6	1,1,1 - TRICHLOROETHANE	ND	200	0.4	ug/L	524.2	
79-00-5	1,1,2 - TRICHLOROETHANE	ND	5	0.4	ug/L	524.2	
75-35-4	1,1 - DICHLOROETHYLENE	ND	7	0.4	ug/L	524.2	
120-82-1	1,2,4 - TRICHLOROBENZENE	ND	70	0.4	ug/L	524.2	
107-06-2	1,2 - DICHLOROETHANE	ND	5	0.4	ug/L	524.2	
78-87-5	1,2 - DICHLOROPROPANE	ND	5	0.4	ug/L	524.2	
71-43-2	BENZENE	ND	5	0.4	ug/L	524.2	
56-23-5	CARBON TETRACHLORIDE	ND	5	0.4	ug/L	524.2	
156-59-2	CIS - 1,2 - DICHLOROETHYLENE	ND	70	0.4	ug/L	524.2	
156-60-5	TRANS - 1,2 - DICHLOROETHYLENE	ND	100	0.4	ug/L	524.2	
100-41-4	ETHYLBENZENE	ND	700	0.4	ug/L	524.2	
75-09-2	METHYLENE CHLORIDE (DICHLOROMI	ND	5	0.4	ug/L	524.2	
108-90-7	MONOCHLOROBENZENE	ND	100	0.4	ug/L	524.2	
95-50-1	O - DICHLOROBENZENE	ND	600	0.4	ug/L	524.2	
106-46-7	P - DICHLOROBENZENE	ND	75	0.4	ug/L	524.2	
100-42-5	STYRENE	ND	100	0.4	ug/L	524.2	
127-18-4	TETRACHLOROETHYLENE	ND	5	0.4	ug/L	524.2	
108-88-3	TOLUENE	ND	1000	0.4	ug/L	524.2	
79-01-6	TRICHLOROETHYLENE	ND	5	0.4	ug/L	524.2	
75-01-4	VINYL CHLORIDE	ND	2	0.4	ug/L	524.2	
1330-20-7	XYLENES (TOTAL)	ND	10000	0.4	ug/L	524.2	
75-27-4	BROMODICHLOROMETHANE	ND		0.4	ug/L	524.2	
124-48-1	CHLORODIBROMOMETHANE	ND		0.4	ug/L	524.2	
67-66-3	CHLOROFORM	ND		0.4	ug/L	524.2	
75-25-2	BROMOFORM	ND		0.4	ug/L	524.2	
E-14471	TOTAL TRIHALOMETHANE	ND	10	0.4	ug/L	524.2	

Notation:

A Result of "ND" indicates that the compound was not detected above the Lab's Reporting Limit - MRL.

SOQ - Standard of Quality, maximum permissible level of a contaminant in water established by EPA, NPDWR or IBWA.

MRL - Method Reporting Limit.

An * in front of the parameter name indicates it is not NELAP accredited but it is accredited through WSDOH or USEPA Region 10.

These test results meet all the requirements of NELAC, unless otherwise stated in writing, and relate only to these samples.

FDA STANDARD OF QUALITY REPORT

Synthetic Organic Chemicals (SOCs)

CAS ID#	COMPOUNDS	RESULT	SOQ	MRL	Units	Method	COMMENT
93-72-1	* 2,4,5 - TP (SILVEX)	ND	50	0.4	ug/L	515.4	
94-75-7	* 2,4 - D	ND	70	0.2	ug/L	515.4	
15972-60-8	ALACHLOR	ND	2	0.2	ug/L	525.2	
1912-24-9	ATRAZINE	ND	3	0.1	ug/L	525.2	
1563-66-2	CARBOFURAN	ND	40	1	ug/L	531.2	
57-74-9	CHLORDANE	ND	2	0.2	ug/L	525.2	
96-12-8	DIBROMOCHLOROPROPANE (DBCP)	ND	0.2	0.04	ug/L	504.1	
88-85-7	* DINOSEB	ND	7	0.4	ug/L	515.4	
72-20-8	ENDRIN	ND	2	0.01	ug/L	525.2	
106-93-4	ETHYLENE DIBROMIDE (EDB)	ND	0.05	0.02	ug/L	504.1	
76-44-8	HEPTACHLOR	ND	0.4	0.04	ug/L	525.2	
1024-57-3	HEPTACHLOR EPOXIDE "B"	ND	0.2	0.02	ug/L	525.2	
58-89-9	LINDANE (BHC - GAMMA)	ND	0.2	0.02	ug/L	525.2	
72-43-5	METHOXYCHLOR	ND	40	0.1	ug/L	525.2	
23135-22-0	OXYMAL (VYDATE)	ND	200	1	ug/L	531.2	
87-86-5	PENTACHLOROPHENOL	ND	1	0.04	ug/L	525.2	
1918-02-1	* PICLORAM	ND	500	0.2	ug/L	515.4	
1336-36-3	POLYCHLORINATED BIPHENYLS (PCB)	ND	0.5	0.2	ug/L	508.1	
75-99-0	* DALAPON	ND	200	2	ug/L	515.4	
122-34-9	SIMAZINE	ND	4	0.07	ug/L	525.2	
8001-35-2	TOXAPHENE	ND	3	1	ug/L	525.2	
41903-57-5	DIOXIN (2,3,7,8-TETRACHLORODIBENZ	ND	30	5	pg/L	1613	Analyzed by UL
85-00-7	DIQUAT	ND	20	2	ug/L	549.2	
145-73-3	ENDOTHALL	ND	100	20	ug/L	548.1	
1071-83-6	GLYPHOSATE	ND	700	10	ug/L	547	
50-32-8	BENZO(A)PYRENE	ND	0.2	0.02	ug/L	525.2	
103-23-1	DI(ETHYLHEXYL)-ADIPATE	ND	400	1.32	ug/L	525.2	
118-74-1	HEXACHLOROBENZENE	ND	1	0.1	ug/L	525.2	
77-47-4	HEXACHLOROCYCLO-PENTADIENE	ND	50	0.1	ug/L	525.2	
E-10253	TOTAL RECOVERABLE PHENOLICS	ND	1	1	ug/L	420.1	Not Analyzed

Notation:

A Result of "ND" indicates that the compound was not detected above the Lab's Reporting Limit - MRL.

SOQ - Standard of Quality, maximum permissible level of a contaminant in water established by EPA, NPDPWR or IBWA.

MRL - Method Reporting Limit.

An * in front of the parameter name indicates it is not NELAP accredited but it is accredited through WSDOH or USEPA Region 10.

These test results meet all the requirements of NELAC, unless otherwise stated in writing, and relate only to these samples.

FDA STANDARD OF QUALITY REPORT

Water Properties

CAS ID#	COMPOUNDS	RESULT	SOQ	MRL	Units	Method	COMMENT
E-10139	HYDROGEN ION (pH)	6.93			pH Units	150.1	
E-11712	COLOR	ND	15	5	COLOR U [*]	SM2120 B	
E-11734	ODOR	1.0	3	1	TON	SM2150	
E-10617	TURBIDITY	0.18	1	0.05	NTU	180.1	

Notation:

A Result of "ND" indicates that the compound was not detected above the Lab's Reporting Limit - MRL.

SOQ - Standard of Quality, maximum permissible level of a contaminant in water established by EPA, NPDWR or IBWA.

MRL - Method Reporting Limit .

An * in front of the parameter name indicates it is not NELAP accredited but it is accredited through WSDOH or USEPA Region 10.

These test results meet all the requirements of NELAC, unless otherwise stated in writing, and relate only to these samples.

FDA STANDARD OF QUALITY REPORT

Disinfectants/DBP

CAS ID#	COMPOUNDS	RESULT	SOQ	MRL	Units	Method	COMMENT
NA	HAA(5)	ND	60	0	ug/L	552.2	
15541-45-4	* BROMATE	0.005	0.010	0.005	mg/L	300.1	
7758-19-2	* CHLORITE	ND	1.00	0	mg/L	300.1	
	* CHLORAMINES TOTAL	ND	4.0	0.05	mg/L	SM4500-CI G	
7782-50-5	FREE CHLORINE RESIDUAL	ND	4.0	0.05	mg/L	SM4500-CI G	

Notation:

A Result of "ND" indicates that the compound was not detected above the Lab's Reporting Limit - MRL.

SOQ - Standard of Quality, maximum permissible level of a contaminant in water established by EPA, NPDWR or IBWA.

MRL - Method Reporting Limit.

An * in front of the parameter name indicates it is not NELAP accredited but it is accredited through WSDOH or USEPA Region 10.

These test results meet all the requirements of NELAC, unless otherwise stated in writing, and relate only to these samples.

FDA STANDARD OF QUALITY REPORT

Radiological Contaminants

CAS ID#	COMPOUNDS	RESULT	SOQ	MRL	Units	Method	COMMENT
12587-46-1	GROSS ALPHA	ND	15		pCi/L	900.0	Analyzed by UL
12587-47-2	GROSS BETA	4.5	50		pCi/L	900.0	Analyzed by UL
13982-63-3	RADIUM 226	ND	5		pCi/L	903.1	Analyzed by UL
	Radium 228	ND	5	5	pCi/L	904.0	Analyzed by UL
7440-61-1	URANIUM	ND	0.030	0.001	mg/L	200.8	

Notation:

A Result of "ND" indicates that the compound was not detected above the Lab's Reporting Limit - MRL.
SOQ - Standard of Quality, maximum permissible level of a contaminant in water established by EPA, NPDWR or IBWA.
MRL - Method Reporting Limit.

An * in front of the parameter name indicates it is not NELAP accredited but it is accredited through WSDOH or USEPA Region 10.

These test results meet all the requirements of NELAC, unless otherwise stated in writing, and relate only to these samples.

Data Report

Sample Description: FDA Annual Product - Spring Water							Sample Date: 3/5/09				
Lab Number: 6469							Collected By: Hilda Menendez				
CAS ID#	Parameter	Result	PQL	MDL	Units	DF	Method	Analyzed	Analyst	Batch	Comment
7440-70-2	CALCIUM	9.97	0.50	0.017	mg/L	1	200.7	3/12/09	BJ	200.7-090312A	
E-10184	ELECTRICAL CONDUCTIVITY	130	10		uS/cm	1	SM2510 B	3/12/09	CCN	EC_090312	
E-11778	HARDNESS	38.8	10	0.055	mg CaCO3/L	1	200.7	3/12/09	BJ	200.7-090312A	
7439-95-4	MAGNESIUM	3.37	0.50	0.003	mg/L	1	200.7	3/12/09	BJ	200.7-090312A	
7440-23-5	SODIUM	9.92	0.50	0.03	mg/L	1	200.7	3/12/09	BJ	200.7-090312A	
80-05-7	*BISPHENOL-A	ND	1		ug/L	1	525.2/3535	3/21/09	CO	525_090318	

Notes:

ND = Not detected above the listed practical quantitation limit (PQL) or not above the Method Detection Limit (MDL), if requested.
PQL = Practical Quantitation Limit is the lowest level that can be achieved within specified limits of precision and accuracy during routine laboratory operating conditions.
D.F. - Dilution Factor

An * in front of the parameter name indicates it is not NELAP accredited but it is accredited through WSDOH or USEPA Region 10.

These test results meet all the requirements of NELAC, unless otherwise stated in writing, and relate only to these samples.